

**Riverside Regional Library
Phase 3 Reopening Plan**

Beginning May 3rd – Go back to normal hours of operation and continue with sanitizing high touch point surfaces throughout the day. All restrictions and limits removed. Recommend the use of masks, hand sanitizer, and observe social distancing recommendations.

Jackson Main Library –

Monday 9:00 AM – 7:00 PM
Tuesday 9:00 AM – 7:00 PM
Wednesday 9:00 AM – 7:00 PM
Thursday 9:00 AM – 7:00 PM
Friday 9:00 AM – 7:00 PM
Saturday 9:00 AM – 4:00 PM
Closed Sunday

Perryville Branch –

Monday 9:00 AM – 6:00 PM
Tuesday 9:00 AM – 6:00 PM
Wednesday 9:00 AM – 6:00 PM
Thursday 9:00 AM – 6:00 PM
Friday 9:00 AM – 6:00 PM
Saturday 9:00 AM – 1:00 PM
Closed Sunday

Altenburg Branch –

Tuesday 1:00 PM – 6:00 PM
Wednesday 12:00 PM – 6:00 PM
Thursday 1:00 PM – 6:00 PM
Saturday 8:00 AM – 12:00 PM
Closed Sunday

Benton Branch –

Monday 1:00 PM – 6:00 PM
Tuesday 1:00 PM – 6:00 PM
Wednesday 9:00 AM – 6:00 PM
Friday 1:00 PM – 6:00 PM
Saturday 8:00 AM – 12:00 PM
Closed Sunday

Oran Branch –

Monday 9:00 AM – Noon & 1:00 PM– 6:00 PM
Wednesday 9:00 AM – Noon & 1:00 PM– 6:00 PM
Thursday 9:00 AM – Noon & 1:00 PM– 6:00 PM
Saturday 9:00 AM – 12:00 PM
Closed Sunday

Scott City Branch –

Monday 1:00 PM – 6:00 PM
Tuesday 11:00 AM – 6:00 PM
Wednesday 11:00 AM – 6:00 PM
Thursday 1:00 PM – 6:00 PM
Friday 1:00 PM – 6:00 PM
Saturday 9:00 AM – 1:00 PM
Closed Sunday

How will we set up for Phase 3 reopening?

- Resume normal hours of operation.
- Resume in-person programming (after Summer Reading) while requiring adequate social distancing until social distancing recommendations are lifted.
- Replace public seating to allow for adequate social distancing until social distancing recommendations are lifted.
- Open all public restrooms.
- Arrange the public computers to allow adequate social distancing by removing stations until social distancing recommendations are lifted. 2 hour
- Because most technology help requires patrons and staff to be in close quarters, there will be limits on how help can be provided until social distancing recommendations are lifted.
- All staff will be encouraged to wear protective face masks unless Staff may voluntarily wear non-latex and latex rubber gloves while working. Protective gear (masks, gloves and hand sanitizer) will be provided by the library.
- Stay home when you are sick.
- Cover your cough or sneeze with a tissue, then throw the tissue in the trash
- Clean and disinfect frequently touched objects and surfaces using a regular household cleaning spray or wipe
- Wash your hands often with soap and water for at least 20 seconds, especially after going to the bathroom; before eating; and after blowing your nose, coughing, or sneezing.

- If soap and water are not readily available, use an alcohol-based hand sanitizer with at least 60% alcohol. Always wash hands with soap and water if hands are visibly dirty.
- Avoid touching your eyes, nose, and mouth with unwashed hands.
- Avoid close contact with people who are sick.

Staff who have COVID-19

- Staff who have symptoms of COVID-19 and are able to recover at home
- Staff who don't have symptoms but have tested positive for COVID-19

You can return to work after:

- Quarantine/Staff stay home for 14 days after COVID-19 diagnosis
- At least 10 days since symptoms first appeared **and**
- At least 24 hours with no fever without fever-reducing medication **and**
- Other symptoms of COVID-19 are improving

**Loss of taste and smell may persist for weeks or months after recovery and need not delay the end of isolation.

Contact with someone who has COVID-19

- Staff stay home for 14 days after your last contact with a person who has COVID-19.
- Watch for fever (100.4°F), cough, shortness of breath, or other symptoms of COVID-19
- If possible, stay away from others, especially people who are at higher risk for getting very sick from COVID-19

Options to reduce quarantine

Reducing the length of quarantine may make it easier for people to quarantine by reducing the time they cannot work. A shorter quarantine period also can lessen stress on the public health system, especially when new infections are rapidly rising.

Your local public health authorities make the final decisions about how long quarantine should last, based on local conditions and needs. Follow the recommendations of your local public health department if you need to quarantine. Options they will consider include stopping quarantine

- After day 10 without testing
- After day 7 after receiving a negative test result (test must occur on day 5 or later)

After stopping quarantine, you should

- Watch for symptoms until 14 days after exposure.
- If you have symptoms, immediately self-isolate and contact your local public health authority or healthcare provider.
- Wear a mask, stay at least 6 feet from others, wash your hands, avoid crowds, and take other steps to prevent the spread of COVID-19.

CDC continues to endorse quarantine for 14 days and recognizes that any quarantine shorter than 14 days' balances reduced burden against a small possibility of spreading the virus. CDC will continue to evaluate new information and update recommendations as needed.